














**DEVICE LEGEND**

FE	FIRE EXTINGUISHER
EXIT	WALL MOUNT EXIT SIGN
EXIT	CEILING MOUNT EXIT SIGN
15	FIRE ALARM STROBE
16	PULL STATION
17	JUNCTION BOX
18	LIGHT SWITCH
19	L.E.D. CEILING FIXTURE (R1)
20	RECESSED SPRINKLER HEAD

**MATERIALS LEGEND**

[Pattern]	EXISTING CONSTRUCTION / STRUCTURE TO REMAIN
[Pattern]	VERTICAL WOOD GRAIN
[Pattern]	HORIZONTAL WOOD GRAIN

- PORTAL NOTES**
1. ALIGN PORTAL CEILING JOINTS WITH PORTAL WALL JOINTS AS SHOWN, TYP.
  2. CONTRACTOR TO NOTIFY ARCHITECT OF UNDOCUMENTED DEVICES OR M.E.P. / F.P. INFRASTRUCTURE WITHIN PORTALS.
  3. MOUNT EXISTING / NEW M.E.P. & F.P. DEVICES IN PORTALS AS SHOWN. DEVICES SHALL BE CENTERED WITHIN THEIR ASSOCIATED WOOD PORTALS. ALL OTHER DIMS & LOCATIONS AS PER ARCHITECTURAL DWGS.
  4. CORK PLANK FLOORING AT PORTALS ONLY.
  5. COORD. EXACT LOCATION OF SPRINKLER PENDANTS IN FIELD. CUT HOLES IN FIELD. LOCATE SPRINKLER PENDANTS AS SHOWN, TYP. OR ON JOINTS AS INDICATED ON DRAWINGS, TYP.
  6. LAYOUT PORTAL LIGHT FIXTURES AS PER ARCHITECTURAL DRAWINGS.
  7. REFER TO ELEVATIONS ON A11.2A OR A11.2B FOR MORE DETAILED MATERIAL NOTES, TYP.
  8. REFER TO DETAIL 02 / A11.3 FOR WORK POINT INFORMATION AT DOOR JAMBS.
  9. REFER TO ELECTRICAL DRAWINGS FOR SCOPE OF WORK REGARDING THE DEMO / EXIST TO REMAIN FOR BEAMED OFF JUNCTION BOXES. IF JUNCTION BOX MUST REMAIN, PROVIDE SUPPORT MET AS PER DETAIL 02 / A11.3, TYP. FOR ALL CASES.




0 5 10 15 FT  
1/4" = 1' - 0"

29 MARCH 2011

REV. NO.	DESCRIPTION	BY	APPD.	DATE

UNIVERSITY OF MASSACHUSETTS  
FACILITIES PLANNING DIVISION  
LEWIS HALL & THATCHER HALL  
FINISH UPGRADE 2011  
LEWIS PORTALS - FOURTH FLOOR

BY	DATE	PROJECT NO.	CONTRACT NO.
BMW		10-0017601	UMA 10-010
APPD.		SCALE	1/4" = 1' - 0"
			SHEET
			OF
			DRAWING NUMBER
			LEWIS
			AL 9.2E



PORTAL L4-B 02  
SCALE = 1/4" = 1' - 0"

PORTAL L4-A 01  
SCALE = 1/4" = 1' - 0"